

## THE CLAIMS

1. (Previously presented) A method of communicating activity information to support user interaction in a communication network, the method comprising:

receiving at least one condition, at a first location, the at least one condition defining when an indication of media consumption activity is sent by the first location to at least a second location, via the communication network;

receiving a request for media consumption, from a user at the first location;

upon said receiving the request for media consumption, from the user at the first location, sending at least one indication of media consumption activity to the at least a second location, via the communication network, if the at least one condition is met; and

refraining from sending at least one indication of media consumption activity to the at least a second location, via the communication network, if the at least one condition is not met.

2. (Previously presented) The method of claim 1 wherein each of the first location and the at least a second location are associated with one or more of an Internet protocol (IP) address, a media access control (MAC) address, and/or an electronic serial number (ESN).

3. (Previously presented) The method of claim 1 wherein the communication network comprises one or more of a cable infrastructure, a satellite network infrastructure, a digital subscriber line (DSL) infrastructure, an Internet infrastructure, an intranet infrastructure, a wired infrastructure, and/or a wireless infrastructure.

4. (Original) The method of claim 1 wherein the communication network is the Internet.

5. (Previously presented) The method of claim 1 wherein the media comprises one or more of audio, a still image, video, real time video, and/or data.

6. (Previously presented) The method of claim 1 wherein consumption comprises one or more of playing audio, displaying a still image, displaying video, and/or displaying data.

7. (Previously presented) The method of claim 1 further comprising: receiving an identifier identifying the at least a second location; and the identifier comprising one or more of a legal name, a given name, a screen name, a user identifier, a network identifier, an Internet protocol (IP) address, a media access control (MAC) address, and/or an electronic serial number.

8. (Previously presented) The method of claim 1 wherein the at least one condition comprises one or more of a day, a date, a time, time period, a user identifier, a source of media being accessed, a media channel type, a mode, a media format, a genre, a language, a subject, and/or an artist.

9. (Previously presented) The method of claim 1 wherein the at least one indication of media consumption activity comprises one or more of a title, a subject, a user identifier, a source of media being accessed, a media channel type, a mode, a media format, a genre, a language, a subject, and/or an artist.

10. (Original) The method of claim 1 wherein the at least one condition is received from a location remote from the first location, via the communication network.

11. (Previously presented) A method of communicating activity information to support user interaction in a communication network, the method comprising:

receiving at least one condition used to determine when a user is notified, via the communication network, of the receipt at a first location of an indication of media consumption activity at at least a second location;

receiving, at the first location, at least one indication of media consumption activity, from at least the second location;

upon receiving a request for media consumption from the second location, notifying the user, at the first location, of the receipt of the at least one indication of media consumption activity, if the at least one condition is met; and

refraining from notifying the user, at the first location, of the receipt of the at least one indication of media consumption activity, if the at least one condition is not met.

12. (Previously presented) The method of claim 11 wherein each of the first location and the at least a second location are associated with one or more of an Internet protocol (IP) address, a media access control (MAC) address, and/or an electronic serial number (ESN).

13. (Previously presented) The method of claim 11 wherein the communication network comprises one or more of a cable infrastructure, a satellite network infrastructure, a digital subscriber line (DSL) infrastructure, an Internet infrastructure, an intranet infrastructure, a wired infrastructure, and/or a wireless infrastructure.

14. (Original) The method of claim 11 wherein the communication network is the Internet.

15. (Previously presented) The method of claim 11 wherein the media comprises one or more of audio, a still image, video, real time video, and/or data.

16. (Previously presented) The method of claim 11 wherein consumption comprises one or more of playing audio, displaying a still image, displaying video, and/or displaying data.

17. (Previously presented) The method of claim 11 further comprising: receiving an identifier identifying the at least a second location; and the identifier comprising one or more of a legal name, a given name, a screen name, a user identifier, a network identifier, an

Internet protocol (IP) address, a media access control (MAC) address, and/or an electronic serial number.

18. (Previously presented) The method of claim 11 wherein the at least one condition comprises one or more of a day, a date, a time, time period, a user identifier, a source of media being accessed, a media channel type, a mode, a media format, a genre, a language, a subject, and/or an artist.

19. (Previously presented) The method of claim 11 wherein the at least one indication of media consumption activity comprises one or more of a title, a subject, a user identifier, a source of media being accessed, a media channel type, a mode, a media format, a genre, a language, a subject, and/or an artist.

20. (Previously presented) The method of claim 11 wherein the notifying comprises one or more of displaying an image, generating sound, and/or illuminating a light emitting diode representing the receipt of the at least one activity indication.

21. (Original) The method of claim 11 further comprising: initiating, from the first location, an exchange of media between the first location and the at least a second location, if the at least one condition is met; and refraining from initiating, from the first location, an exchange of media between the first location and the at least a second location, if the at least one condition is not met.

22. (Previously presented) A system supporting the communication of activity information to support user interaction in a communication network, the system comprising:

- a television display, at a first location, to support the consumption of media by a user;
- a storage, at the first location, communicatively coupled to the television display, and having an associated first network address;
- set top box circuitry, at the first location, the set top box circuitry communicatively coupling the television display to the communication network;
- at least one user defined identifier identifying at least a second location;
- at least one user defined condition for notifying the user; and
- software that receives at least one indication of media consumption activity from the at least a second location, via the communication network, and that responds by notifying the user if the at least one user defined condition is met upon receipt of a request for media consumption, and that refrains from notifying the user if the at least one user defined condition is not met.

23. (Previously presented) The system of claim 22 wherein the media comprises one or more of audio, a still image, video, real time video, and/or data.

24. (Previously presented) The system of claim 22 wherein consumption comprises one or more of playing audio, displaying a still image, displaying video, and/or displaying data.

25. (Previously presented) The system of claim 22 wherein the associated first and second network addresses are one of an Internet protocol (IP) address, a media access control (MAC) address, or an electronic serial number (ESN).

26. (Previously presented) The system of claim 22 wherein the communication network comprises one or more of a cable infrastructure, a satellite network infrastructure, a digital subscriber line (DSL) infrastructure, an Internet infrastructure, an intranet infrastructure, a wired infrastructure, and/or a wireless infrastructure.

27. (Previously presented) The system of claim 22 wherein the at least one user defined identifier comprises one or more of legal name, a given name, a screen name, a user identifier, a network identifier, an Internet protocol (IP) address, a media access control (MAC) address, and/or an electronic serial number.

28. (Original) The system of claim 22 wherein the at least one user defined condition comprises a day, a date, a time, time period, a user identifier, a source of media being accessed, a media channel type, a mode, a media format, a genre, a language, a subject, and an artist.

29. (Previously presented) The system of claim 22 wherein the at least one indication of media consumption activity comprises one or more of a title, a subject, a user

identifier, a source of media being accessed, a media channel type, a mode, a media format, a genre, a language, a subject, and/or an artist.

30. (Previously presented) A method of communicating activity information to support user interaction in a communication network, the method comprising:

upon receiving a request for media consumption from a user, sending at least one indication of media consumption activity to a first location, via a communication network, if at least one condition received at a second location and defining when an indication of media consumption activity is sent by the second location to at least the first location is met; and

refraining from sending at least one indication of media consumption activity to the first location if the at least one condition received at the second location and defining when the indication of media consumption activity is sent by the second location to at least the first location is not met.

31. (Previously presented) The method of claim 30 wherein each of the first location and the second location are associated with one or more of an Internet protocol (IP) address, a media access control (MAC) address, and/or an electronic serial number (ESN).

32. (Previously presented) The method of claim 30 wherein the communication network comprises one or more of a cable infrastructure, a satellite network infrastructure, a digital subscriber line (DSL) infrastructure, an Internet infrastructure, an intranet infrastructure, a wired infrastructure, and/or a wireless infrastructure.



33. (Previously presented) The method of claim 30 wherein the communication network is the Internet.

34. (Previously presented) The method of claim 30 wherein the media comprises one or more of audio, a still image, video, real time video, and/or data.

35. (Previously presented) The method of claim 30 wherein consumption comprises one or more of playing audio, displaying a still image, displaying video, and/or displaying data.

36. (Previously presented) The method of claim 30 further comprising: receiving an identifier identifying the first location; and the identifier comprising one or more of a legal name, a given name, a screen name, a user identifier, a network identifier, an Internet protocol (IP) address, a media access control (MAC) address, and/or an electronic serial number.

37. (Previously presented) The method of claim 30 wherein the at least one condition comprises one or more of a day, a date, a time, time period, a user identifier, a source of media being accessed, a media channel type, a mode, a media format, a genre, a language, a subject, and/or an artist.

38. (Previously presented) The method of claim 30 wherein the at least one indication of media consumption activity comprises one or more of a title, a subject, a user identifier, a source of media being accessed, a media channel type, a mode, a media format, a genre, a language, a subject, and/or an artist.

39. (Previously presented) The method of claim 30 wherein the at least one condition is received from a location remote from the second location, via the communication network.

40. (Previously presented) A system supporting the communication of activity information to support user interaction in a communication network, the system comprising:

set top box circuitry at a first location; and

software that receives at least one indication of media consumption activity from a second location, via a communication network, and that responds by notifying a user at the first location if at least one user defined condition for notifying the user at the first location is met upon receiving a request for media consumption, and that refrains from notifying the user at the first location if the at least one user defined condition for notifying the user at the first location is not met.

41. (Previously presented) The system of claim 40 wherein the media comprises one or more of audio, a still image, video, real time video, and/or data.

42. (Previously presented) The system of claim 40 wherein consumption comprises one or more of playing audio, displaying a still image, displaying video, and/or displaying data.

43. (Previously presented) The system of claim 40 wherein the communication network comprises one or more of a cable infrastructure, a satellite network infrastructure, a digital subscriber line (DSL) infrastructure, an Internet infrastructure, an intranet infrastructure, a wired infrastructure, and/or a wireless infrastructure.

44. (Previously presented) The system of claim 40 wherein the at least one indication of media consumption activity comprises one or more of a title, a subject, a user identifier, a source of media being accessed, a media channel type, a mode, a media format, a genre, a language, a subject, and/or an artist.